



THE RESOURCE LIBRARY

PALLET TRUCKS

QUICK REFERENCE GUIDE

GUÍA DE REFERENCIA / GUIDE DE RÉFÉRENCE FACILE



KNOW MORE. CHOOSE WELL.

A complete reference for equipment, model numbers, technical specifications and replacement parts.



YOUR PARTS DESK


(951) 570-8283

sales.jdlift@gmail.com


jdforkliftparts.com

JD Forklift Parts resource edition. Technical content reproduced from TVH Pallet Trucks Quick Reference Guide, source 2307004T.


Manufacturer names, specifications, source contacts and supplier warranty terms are retained for reference. Confirm current fitment and terms with us.



Entry rollers



4 zerks



Adjustable push/pull rods



Powder coated 3mm metal thickness frame



1 year pump/parts warranty



Ergonomic handle



Special order colors available with container load purchase.

Otros colores están disponibles con la compra de un contenedor entero de patines.

Couleurs spéciales disponibles sur demande avec l'achat d'un conteneur de transpalettes.

	Steer / Load Wheel Configuration	Capacity	Truck Width	Fork Length
SYHJ-5510LP	Poly steer single poly low profile	3,300lb	27"	48"
SYHJ-2772	Poly steer single poly load	4,400lb	27"	72"
SYHJ-5500	Poly steer single poly load	5,500lb	27"	48"
SYHJ-5501	Poly steer single poly load	5,500lb	20½"	48"
SYHJ-5504	Poly steer single poly load	5,500lb	21½"	48"
SYHJ-5505	Poly steer single poly load	5,500lb	27"	36"
SYHJ-5510	Poly steer tandem poly load	5,500lb	27"	48"
SYHJ-5520	Nylon steer single nylon load	5,500lb	27"	48"
SYHJ-5535	Steel steer single steel load	5,500lb	27"	48"
SYHJ-5545	Poly steer single poly load	5,500lb	20½"	36"

REPLACEMENT PARTS *Repuestos disponibles Pièces de rechange*

Description	Description
SYHJ-D116 Poly steer wheel	SYHJ-D229 Poly load wheel single
SYHJ-D116N Nylon steer wheel	SYHJ-D229L Poly low profile load wheel single
SYHJ-D116S Steel steer wheel	SYHJ-D229LS Steel low profile load wheel single
SYHJ-D127 Steer wheel bearing	SYHJ-D229N Nylon load wheel single
SYHJ-D220 Load wheel bearing	SYHJ-D229S Steel load wheel single
SYHJ-D220L Load profile load wheel bearing	SYHJ-TUP Touch up paint
SYHJ-D221 Poly load wheel tandem	SYHJ-V Pump kit

Replacement parts available for all brands of pallet trucks.

Repuestos disponibles para patines de toda marca.


Pièces de rechange disponibles pour toutes marques de transpalettes.



Entry and exit rollers




2 seals, powder coated
4mm metal thickness frame



Adjustable push/pull rods



Foot pedal release



3 year pump warranty
1 year parts warranty



Ergonomic handle



Special order colors available with container load purchase.

Otros colores están disponibles con la compra de un contenedor entero de patines.

Couleurs spéciales disponibles sur demande avec l'achat d'un conteneur de transpalettes.

	Steer / Load Wheel Configuration	Capacity	Truck Width	Fork Length
TSP5510LP	Poly steer single poly low profile	3,300lb	27"	48"
TSP5550	Poly steer single poly load LP "4 way"	3,300lb	33"	48"
TSP5500	Poly steer single poly load	5,500lb	27"	48"
TSP5501	Poly steer single poly load	5,500lb	21½"	48"
TSP5503	Poly steer single poly load	5,500lb	27"	42"
TSP5504	Poly steer single poly load	5,500lb	21"	42"
TSP5505	Poly steer single poly load	5,500lb	27"	36"
TSP5510	Poly steer tandem poly load	5,500lb	27"	48"
TSP5515	Nylon steer single nylon load	5,500lb	27"	36"
TSP5520	Nylon steer single nylon load	5,500 lb	27"	48"
TSP5525	Nylon steer single nylon load	5,500lb	27"	42"
TSP5530	Nylon steer tandem nylon load	5,500lb	27"	48"
TSP5535	Steel steer single steel load	5500lb	27"	48"
TSP5540	Nylon steer single nylon load	5,500lb	20½"	48"
TSP5560	Rubber steer single poly load with brake	5,500lb	27"	48"

REPLACEMENT PARTS *Repuestos disponibles Pièces de rechange*

Description	Description
TSP226 Load wheel bearing	TSP234L Poly low profile load wheel single
TSP226L Load wheel bearing low profile	TSP310 Poly steer wheel
TSP234N Nylon load wheel single	TSPKIT Pump kit
TSP227N Nylon load wheel tandem	TSP234S Steel load wheel single
TSP310N Nylon steer wheel	TSP310S Steel steer wheel
TSP234 Poly load wheel single	TSP309 Steer wheel bearing
TSP227 Poly load wheel tandem	TSP-TUP Touch up paint

Replacement parts available for all brands of pallet trucks.

Repuestos disponibles para patines de toda marca.

Pièces de rechange disponibles pour toutes marques de transpalettes.

HAND PALLET TRUCKS



		Steer/Load Wheel Configuration	Capacity	Fork Size (Width x Length)	Steel
	SYHPT-2000 •3.3"(85mm) to 31.5" (800mm) Operating range	Hi - Lift	3,300lb	27" x 43"	Painted
	SYHPT-2010 • Scale capacity 4000lb (2000kg) in 2.2lb (1 kg) Increments	Poly steer Tandem poly load	4,000lb	22½" x 45"	Painted
	SYHPT-2015	Nylon steer Tandem nylon load	4,400lb	27" x 48"	Galvanized

ECONOMY PORTABLE HIGH-RISER SKID LIFTERS		Steel	Operation	Fork Size (Width x Length)	Capacity	Description
	SYL-220-HD	Painted	Hand pump	20½" x 43"	3,000 lb	• Designed for use with skids and pallets without an understructure • Front rollers and two swivel casters in rear to allow easy portability • Service range 3½" to 31½" • Constructed of steel
	SYL-270-HD	Painted	Hand pump	20¾"x 43"	3,000 lb	
	SYL-220-DC-HD	Painted	12VDC Power	20" x 45"	3,000lb	
	SYL-270-DC-HD	Painted	12VDC Power	27" x 45"	3,000lb	
	SYL-270-HD-SS	Stainless	Hand pump	26¾" x 45"	2,000lb	
	SYL-270-DC-HD-SS	Stainless	12VDC power	26¾" x 45"	2,000lb	

HARDWOOD PLATFORM TRUCK



	Capacity	Deck Size (Width x Length)	Description
SYVHPT-2448	1,600lb	24" x 48"	• Platform height 9"
SYVHPT-2754	1,600lb	27" x 54"	• 6" x 2" mold-on rubber cast
SYVHPT-3060	1,600lb	30" x 60"	• Removable push handle
SYVHPT-3672	1,600lb	36" x 72"	

HAND CART WITH FOLDABLE HANDLE




	Overall Size (Length x Width x Height)	Capacity
SYHTT-300	34¼" x 35" x 24¼" 870mm x 890mm x 615mm	660lb 300kg

EASY-ACCESS STEEL STOCK TRUCKS



	Capacity	Overall Size (Length x Width x Height)	Description
SYEASY-A-1836	1,200lb	18½" x 42¾" x 36"	• Easy access to bottom shelf
SYEASY-A-2436	1,200lb	24" x 41½" x 36"	• Chrome plated ergonomic push handles
SYEASY-A-2448	1,200lb	24" x 53½" x 36"	• 5" x 1¼" swivel ball bearing poly casters
			• WT= optional bolt-on writing surface
			• Steel construction
			• Assembly required



SYEASY-A-1836-WT	1,200lb	18½" x 42¾" x 36"
SYEASY-A-2436-WT	1,200lb	24" x 41½" x 36"
SYEASY-A-2448-WT	1,200lb	24" x 53½" x 36"

ERGO-HANDLE CARTS



	Maximum Capacity Cart/Shelf	Overall Size (Width x Length)	Description
SYDH-MR2-2436	2,400lb/2,000lb	24" x 36"	• 8" x 2" casters with roller bearings
SYDH-MR2-2448	2,400lb/2,000lb	24" x 48"	• Constructed of heavy-duty steel
SYDH-MR2-3060	2,400lb/2,000lb	30" x 60"	• Adjustable chrome ergonomic handle

ERGO-HANDLE CARTS		Maximum Capacity Cart/Shelf	Overall Size (Width x Length)	Description
	SYDH-PH4-2436	4,000lb/2,000lb	24" x 36"	• 8" x 2" casters with roller bearings • Constructed of heavy-duty steel • Adjustable chrome ergonomic handle
	SYDH-PH4-2448	4,000lb/2,000lb	24" x 48"	
	SYDH-PH4-2436-3	4,000lb/2,000lb	24" x 36"	
	SYDH-PH4-2448-3	4,000lb/2,000lb	24" x 48"	
	SYDH-PH4-2460	4,000lb/2,000lb	24" x 60"	
	SYDH-PH4-2472	4,000lb/2,000lb	24" x 72"	
	SYDH-PH4-3448	4,000lb/2,000lb	34" x 48"	
	SYDH-PH4-3460	4,000lb/2,000lb	34" x 60"	
	SYDH-PH4-3472	4,000lb/2,000lb	34" x 72"	
	SYDH-PU2.4-2436	4,000lb/2,000lb	24" x 36"	
	SYDH-PU2.4-2448	4,000lb/2,000lb	24" x 48"	
	SYDH-PU2.4-3060	4,000lb/2,000lb	30" x 60"	

HYDRAULIC ELEVATING LIFTS



HYDRAULIC ELEVATING CART		Capacity	Platform Size (Width x Length)	Service Range	Description
	SYCART-400	400lb	17½" x 27½"	8¾" to 29"	Single-speed foot pump
	SYCART-750	750lb	19¾" x 32"	15½" to 35½"	Two-speed foot pump
	SYCART-800-D	800lb	20" x 35½"	15½" to 51"	Two-speed foot pump
	SYCART-1500-D-TS	1,500lb	24" x 47½"	19" to 68"	Two-speed foot pump
	SYCART-1750	1,750lb	20" x 39½"	17" to 40"	Single-speed foot pump

HYDRAULIC ELEVATING CART		Capacity	Platform Size (Width x Length)	Service Range	Description
	SYCART-4000	4,000lb	24 x 47"	15½" to 40"	Two-speed foot pump

DC POWERED HYDRAULIC ELEVATING CART		Capacity	Platform Size (Width x Length)	Service Range	Description
	SYCART-1000-DC	1,000lb	20½" x 39¾"	17½" to 37¾"	Single scissor

	SYCART-1000D-DC	1,000lb	20½" x 39¾"	19½" to 63¾"	Double scissor

	SYCART-1000-LD-DC	1,000lb	24½" x 60"	17½" to 45"	Single scissor

HYDRAULIC ELEVATING LIFTS



STAINLESS STEEL HYDRAULIC ELEVATING CART



SYCART-1000-PSS

Capacity
1,000lb

Platform Size
19¾" x 32½"

Service Range
15½" to 35½"

Description
Single-speed foot pump



SYCART-1100-SS

Capacity
1,100lb

Platform Size
23½" x 35½"

Service Range
13" to 38½"

Description
Two-speed
hydraulic pump

DC POWERED SCISSOR CARTS



SYCART-23-10-DC

Capacity
1,000lb

Platform Size
24" x 36"

Service Range
11" to 32½"

Description
12VDC



SYCART-23-15-DC

Capacity
1,500lb

Platform Size
24" x 36"

Service Range
11" to 32½"

Description
12VDC



SYCART-24-10-DC

Capacity
1,000lb

Platform Size
24" x 48"

Service Range
9" to 42½"

Description
12VDC

**DC POWERED
SCISSOR CARTS**

SYCART-24-15-DC

Capacity

1,500lb

Platform Size

24" x 48"

Service Range

9" to 42½"

Description

12VDC

**MANUAL POWERED
SCISSOR CARTS**

SYCART-23-10-M

Capacity

1,000lb

Platform Size

24" x 36"

Service Range

11" to 32½"

Description

Two-speed foot pump



SYCART-23-15-M

1,500lb

24" x 36"

11" to 32½"

Two-speed foot pump



SYCART-24-10-M

1,000lb

24" x 48"

9" to 42½"

Two-speed foot pump



SYCART-24-15-M

1,500lb

24" x 48"

9" to 42½"

Two-speed foot pump

ALUMINUM "P" HANDLE		Nose Plate Capacity	Nose Plate Platform Capacity	Wheel	Nose Plate	Nose Plate Platform	Overall Size (Width x Depth x Height)
	SYAPHT-500A	500lb	200lb	10" x 3½" Pneumatic wheels	18" x 7½"	12" x 27"	20½" x 18½" x 52½"
	SYAPHT-500A_HR	500lb	200lb	10" x 2½" Hard rubber wheels	18" x 7½"	12" x 27"	18½" x 18½" x 52½"

STEEL DUAL HANDLE		Capacity	Wheel	Nose Plate	Overall Size (Width x Depth x Height)
	SYDHHT-500S	500lb	10" x 3½" Pneumatic wheels	13¾" x 6½"	22½" x 17½" x 44½"
	SYDHHT-500S-HR	500lb	10" x 2½" Pneumatic wheels	13¾" x 6½"	21½" x 17½" x 44½"

ALUMINUM DUAL HANDLE		Capacity	Wheel	Nose Plate	Overall Size (Width x Depth x Height)
	SYDHHT-500A	500lb	10" x 3½" Pneumatic wheels	18" x 7½"	20¼" x 19" x 51¼"
	SYDHHT-500A-HR	500lb	10" x 2½" Hard rubber wheels	18" x 7½"	19½" x 19" x 51½"

STEEL "P" HANDLE		Capacity	Wheel	Nose Plate	Overall Size (Width x Depth x Height)
	SYPHT-500S	500lb	10" x 3½" Pneumatic wheels	14" x 7½"	21" x 18" x 52"
	SYPHT-500S-HD-HR	600lb	10" x 2½" Hard rubber wheels	20" x 5½"	20" x 16¼" x 52"
	SYPHT-600S-IND	600lb	13" x 4" Pneumatic wheels	14" x 7"	22" x 22" x 52"

CONVERTIBLE HAND TRUCKS		Capacity	Wheel	Nose Plate	Overall Size (Width x Depth x Height)
	SYCAHT-500	500lb	10" x 3½" Pneumatic wheels	18" x 7¼"	Aluminum, 20½" x 18¾" x 51½" (hand truck) Aluminum, 20½" x 46½" x 40½" (platform truck)
	SYDSHT-500-PN	500lb	10" x 3½" Pneumatic wheels	14" x 7"	Steel, 20" x 17" x 48" (hand truck) Steel, 22" x 42" x 36" (platform truck)



Lined area for notes, consisting of multiple horizontal lines.



Lined area for notes, consisting of multiple horizontal lines.



UNITED STATES

- **Olathe, Kansas**
- Grayslake, Illinois
- Greer, South Carolina
- Elizabethtown, Pennsylvania
- Miami, Florida
- Mira Loma, California
- Portland, Oregon
- Shreveport, Louisiana
- Latin America and the Caribbean

CANADA

- ◇ **Mississauga, Ontario**
- Port Coquitlam, British Columbia

MEXICO

- ◇ **Cuautitlán Izcalli, EDM**
- Apodaca, N.L.

BRAZIL

- ◇ **Vinhedo, São Paulo**
- Araquari, Santa Catarina
- Contagem, Minas Gerais
- Jaboatão dos Guararapes, Pernambuco

WWW.TVH.COM



THE RIGHT PART. A REAL PERSON.

Bring us your model, serial number and application.

(951) 570-8283

sales.jdlift@gmail.com

jdforkliftparts.com

SOURCE PUBLICATION

TVH Pallet Trucks Quick Reference Guide, source 2307004T.

Original source publisher: TVH

16355 S. Lone Elm Rd / Olathe, KS 66062 / United States

www.tvh.com

SYNPPALLETTRUCKQRG_2307004T